

Solid carbide barrel milling cutter, conical form $\alpha/2=18^\circ$ PPC, TiAlN, Ø f8 DC / R2: 6/100mm



Order data

Order number	207541 6/100
GTIN	4062406286811
Item class	11X

Description

Version:

Innovative coating concept for machining hardened materials.

High-performance tool for **exceptionally efficient finish machining of free-form surfaces.** For outstanding surface qualities in a **very short machining time.** For use on modern 5-axis milling machines with CAD / CAM support.

The end face geometry is designed so that the chips, especially those formed by the end radius, are of optimum shape and have optimum evacuation characteristics. For this purpose the number of cutting edges is reduced to the number of effective end face cutting edges.

Recommendation:

We recommend 0.05 to 0.2mm as an allowance for finishing operations.

Note:

 R_2 represents the effective radius on the tool.

Cannot be reground!

For machining walls and overcoming obstructions.

Successor product to No. 207527.

Technical description

Flute length L _c	8.5 mm
Shank Ø D _s	6 mm
Overall length L	60 mm
Helix angle	30 degrees
Corner radius R ₁	0.5 mm

Feed f_z for side milling in steel < 60 HRC	0.02 mm			
No. of teeth Z	4			
Effective radius R ₂	100 mm			
Feed f_z for copy milling in steel < 60 HRC	0.025 mm			
Cutting edge \varnothing D_{c}	6 mm			
Coating	TiAIN			
Tool material	Solid carbide			
Standard	Manufacturer's standard			
Туре	N			
Tolerance nominal Ø	f8			
Direction of infeed	horizontal			
Cutting width a_e for milling operation	0.05×D for side milling			
Cutting width a_e for milling operation	0.05×D for copy milling			
Shank	DIN 6535 HA to h6			
Through-coolant	no			
Machining strategy	PPC			
Colour ring	red			
Type of product	Ball-nosed slot drill			

User data

	Suitability V _c		ISO code
Steel < 1400 N/mm ²	suitable 200 m/min		Р
Steel < 55 HRC	suitable 170 m/min		Н
Steel < 60 HRC	suitable 150 m/min		Н
Steel < 65 HRC	suitable only under restricted conditions	110 m/min	Н
wet maximum	suitable only under restricted conditions		
dry	suitable		

_							
	at	-	_	_	$\overline{}$	\sim	ь
	141	\boldsymbol{A}	-		$\boldsymbol{-}$	$\boldsymbol{\sim}$	
	491	·u			·	_	L



Air suitable