

OSLO BAU GORE II

SAFETY BOOT EN ISO 20345:2011 S3 SRC CI HRO HI
SIZES: 36 - 51 (225 - 330) | FITTING OPTIONS: NB, XB (S, XXB)



Engineered with

GORE-TEX
 Performance Comfort
 Footwear

S3 PROTECTION CLASS S3
 according EN ISO 20345

SECURA VARIO® SYSTEM
 weight dependent heel shock
 absorption

STEEL MIDSOLE
 puncture resistant steel midsole

DGUV 191 INSOLE TREATMENT
 tested according to
 DGUV Rule 112-191

ORIGINAL STEITZ MULTI-WIDTH SYSTEM
 4 different widths per shoe size

STEEL TOE CAP
 Toe cap made of steel

LEATHER-INSOLE

GORE-TEX
 Membrane system, waterproof and
 highly breathable

FEATURES

- + GORE-TEX membrane
- + Full-grained, hydrophobic smooth leather
- + Dust guard tongue
- + Reinforced, abrasion-resistant toe guard
- + Cushioned collar for additional comfort
- + Full-length, removable comfort insole ERGO-COOL® with excellent moisture transportation for optimal climate comfort

OUTSOLE

- Perbunan Alpine ESD, anthracite**
- + Outsole with a profile of 6,5 mm
 - + Best possible scuff resistance and anti-slip properties
 - + Hard-wearing and excellent cut resistance
 - + Broad contact surface
 - + Durable against acid and oil-based substances
 - + Heat-resistant up to approx. 220 °C



CUSHIONING

SECURA VARIO® System

The replaceable, weight and pressure dependent heel shock absorption system ensures cushioning adapted to the individual needs of the wearer. The pressure load in the shoe is reduced to a natural extent and provides targeted relief to the back. At the same time, it helps to significantly reduce fatigue and increases the ability to compensate pressure loads by the leg and trunk musculature.

- above 105 kg
- up to 105 kg
- up to 91 kg
- up to 79 kg
- up to 57 kg



The AGR quality cachet (Aktion Gesunder Rücken = Campaign for Healthier Backs): Certified and recommended by Association Forum Healthy Back – Better Living and Federal Association of German Back Schools.

More information:
 AGR e.V., Stader Str. 6, D - 27432 Bremervörde,
 Phone +49 4761/92 63 580, www.agr-ev.de

