

Bicycle Big Pack 1, 14 pieces

Kraftform Plus – Series 300



EAN: 4013288220745
Part number: 05004190001
Article number: Bicycle Big Pack 1

Size: 290x210x90 mm
Weight: 1423 g
Country of origin: CZ
Customs tariff number: 82054000

- Bicycle tool set
- With 7 T-handle screwdrivers, 5 Kraftform screwdrivers and 2 chiseldrivers with impact cap
- T-handle screwdriver for the transmission of particularly high tightening and loosening torque
- T-handle screwdriver with holding function on the long arm for a secure hold of the screw on the tool
- PH screwdriver with Lasertip for better hold on the screw head

Immediately find the suitable tool for many bicycle screws: Screwdriver all-round set with 7 T-handle screwdrivers, 5 Kraftform screwdrivers and 2 chiseldrivers with impact cap.

Kraftform Plus handle for comfortable ergonomic screwdriving, which avoids blisters and calluses. Hard handle zones for high working speeds, while soft handle zones guarantee a high torque transfer. PH-screwdrivers with Lasertip: The tips of Wera Lasertip screwdrivers are microscopically roughened with laser beams. This rough surface "bites" into the screw head and unintentional slipping is a thing of the past. Take it easy tool finder with colour coding by profile and size stamping - to help you find the required tool quickly and easily. T-handles with holding function to hold the hexagonal socket screw securely on the tool.



Web link

https://products.wera.de/en/screwdrivers_kraftform_plus_series_300_bicycle_big_pack_1.html

Wera - Bicycle Big Pack 1
05004190001 - 4013288220745

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Lasertip



A precisely-focused laser creates a sharp-edged surface structure. Wera Lasertip "bites" itself into the screw head and prevents any slips out of the recess. It is available for screwdrivers for slotted, Phillips and Pozidriv screws.

Ergonomic design



The ergonomic design of the T-handle fills the palm of the hand. The fingers rest in the soft, rounded recess, and the whole hand is in contact with the handle - so there is no friction loss between the hand and handle.

Holding Function (HF) for hexagon socket screws



A spring loaded ball ensures the hexagon socket screw to be clamped on the tool tip. Especially helpful in hard to reach areas where you can not use your other hand to hold the screw.

Hex-Plus



Hexagon socket screws are a problem, because the contact surfaces that transfer the force of the tool to the screw are very narrow. The consequence: the head of the screw can be damaged, usually rounding out the recess. Hex-Plus tools have larger contact surfaces to prevent this, driving from the flats of the recess, rather than the corners. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

Web link

https://products.wera.de/en/screwdrivers_kraftform_plus_series_300_bicycle_big_pack_1.html

Wera - Bicycle Big Pack 1
05004190001 - 4013288220745

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

TORX® HF profile




In tight assembly or disassembly situations, for example in engine compartments, it is not possible to securely hold the screw with the hand on the screwdriver, and the screw subsequently often gets lost. Lengthy searches or the loss of the screw (with the associated danger that could bring about) are the consequence. The HF tools developed by Wera are ideal because they feature an optimised geometry of the original TORX® profile. The wedging forces resulting from the surface pressure between the drive tip and the screw profile mean that the screw is securely held on the tool!

Second arm



The additional short arm, which emerges laterally from the handle, allows the transmission of extremely high torques by using the long arm as a lever.

Take it easy Tool Finder



Screwdrivers with Take it easy tool finder: colour coding according to profile and size stamp.

Series 900 – the Chiseldriver



The chiseldriver is the solution for jobs that require more than just screwdriving. For fastening, chiselling and loosening seized screws or hose clamps. With an integrated impact cap that extends service life and reduces the risk of splintering. With a pound-thru hexagon blade made from high-grade material for - zero-loss transfer of high forces when struck with a hammer. The tough viscous tempered material prevents the blade from splintering or breaking. More TORQUE can be transferred by attaching an open-jawed or ring spanner to the integrated hexagon bolster.

Web link



https://products.wera.de/en/screwdrivers_kraftform_plus_series_300_bicycle_big_pack_1.html

Wera - Bicycle Big Pack 1
05004190001 - 4013288220745



Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Set contents:



354 Screwdriver for hexagon socket screws, 2 x 75 mm

	05023105001	1x	2 x 75 mm
	05023107001	1x	2.5 x 75 mm



454 HF T-handle hexagon screwdriver Hex-Plus with holding function, 3 x 100 mm

	05023334001	1x	3 x 100 mm
	05023339001	1x	4 x 150 mm
	05023343001	1x	5 x 150 mm
	05023348001	1x	6 x 200 mm
	05023353001	1x	8 x 200 mm



367 Screwdriver for TORX® screws, TX 10 x 80 mm

	05028005001	1x	TX 10 x 80 mm
			



467 TORX® HF T-handle screwdriver with holding function, TX 20 x 100 mm

	05023373001	1x	TX 20 x 100 mm
	05023376001	1x	TX 25 x 200 mm

932 A Screwdriver for slotted screws, 1 x 5.5 x 100 mm

	05018264001	1x	1 x 5.5 x 100 mm
	05018266001	1x	1.2 x 7 x 125 mm

350 PH Screwdriver for Phillips screws, PH 1 x 80 mm

	05008710001	1x	PH 1 x 80 mm
	05008720001	1x	PH 2 x 100 mm

Web link

https://products.wera.de/en/screwdrivers_kraftform_plus_series_300_bicycle_big_pack_1.html

Wera - Bicycle Big Pack 1
05004190001 - 4013288220745

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de