

**Product Datasheet model ultrasonic 9302 510**


With reduced ventilation for the combination with helmet and hearing protection  
uvex K1H and uvex K2H.

Ear muffs are not included!

Additional adapters are needed in order to fit the ultrasonic without ear muffs,  
art. no. 9924 010!

**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,  
D-90766 Fürth**

<b>Product characteristics</b>	<ul style="list-style-type: none"><li>• Model with reduced ventilation and helmet mounting</li><li>• Panoramic lens shape allows 180° uninterrupted lateral vision</li><li>• Medium-energy impact 'B' (120 m/s)</li><li>• Fits comfortably over most prescription spectacles</li></ul>
<b>Technical details</b>	
<b>Frame</b>	<b>Front piece</b>
Material	PP/TPE
Colour	grey/blue

Material	<b>Helmet mounting</b>
Colour	POM/Nylon black
Manufacturer's ID code	<b>Marking</b> W
Applicable EN norm	166
Field of use	3 (drops and splashes of liquid) 4 (large dust particles)
Impact resistance	B (120 m/s)
Conformity symbol	CE
<b>Lens</b>	
Material	PC
Thickness	2,2 mm
Coating	uvex supravision extreme
Colour	clear
UV protection	UV 400
Filter	<b>Marking</b> 2-1,2 (DIN EN 170)
Manufacturer's ID code	W
Optical class	1
Impact resistance	B (120 m/s)
Surface resistance to fine particles	K
Antifog	N
Conformity symbol	CE
Factory symbol	

**Miscellaneous**

Weight	116 g
Packing	5 goggles per box
Standards	DIN EN 166 + DIN EN 170
PPE Category	Category II