

KERN KFP 150V30LM-2022e



Platform: entirely out of stainless steel



Category

| | |
|------------------|-----------|
| Brand | KERN |
| Product category | Component |
| Product group | Platform |
| Product family | KFP-V30 |

Measuring System

| | |
|-------------------------|-----------------------------------|
| Weighing capacity [Max] | 150 kg |
| Readability [d] | 10 g |
| Minimum weight [Min] | 1 kg |
| Loadcell type | stainless steel IP68 encapsulated |
| Load cell connection | 4-wire |

Approval

| | |
|---|------|
| Verification scale interval [e] | 50 g |
| Conformity assessment possible ex works | ✓ |

Construction

| | |
|---|------------------|
| Dimensions weighing platform (W×D×H) | 650×500×136 mm |
| Material weighing plate | stainless steel |
| Material platform | Stainless steel |
| Dimensions weighing surface (W×D) | 650×500 mm |
| Cable length | 2,5 m |
| Allowed cable length display device [Max] | 3 m |
| Material load cell(s) | Stainless steels |
| Load cells - number | 1 |
| Levelling feet adjustable | ✓ |

Functions

| | |
|---------------------------|------|
| IP protection - load cell | IP67 |
|---------------------------|------|

Packing & Shipping


| | |
|------------------------------|-----------------|
| Readability force [d] (N) | 1 d |
| Dimensions packaging (W×D×H) | 1050×675×250 mm |
| Net weight | 20,5 kg |
| Shipping method | Parcel service |
| Net weight approx. | 22 kg |
| Gross weight approx. | 26 kg |
| Shipping weight | 35,4 kg |

Services (optional)

| | |
|--|---------|
| Article number for conformity assessment | 965-229 |
| Article number for DAkkS calibration | 963-129 |

Pictograms

STANDARD



FACTORY

