KERN KFP 60V30M

Platform: entirely out of stainless steel





| Category | |
|-------------------|-----------|
| Brand | KERN |
| Product categoriy | Component |
| Product group | Platform |
| Product family | KFP-V30 |

| Measuring System | |
|-------------------------|---|
| Weighing capacity [Max] | 60 kg |
| Readability [d] | 5 g |
| Minimum weight [Min] | 400 g |
| Loadcell type | stainless steel IP67 silicone-coated |
| Load cell connection | 6-wire |
| Load cell OIML class | C3 |

Approval

Verification scale interval [e]20 gConformity assessment possible
ex works

Construction

| Dimensions weighing platform (W×D×H) | 400×300×107 mm |
|---|------------------|
| Material weighing plate | stainless steel |
| Material platform | Stainless steel |
| Dimensions weighing surface (W×D) | 400×300 mm |
| Cable length | 3 m |
| Allowed cable length display device [Max] | 20 m |
| Material load cell(s) | Stainless steels |
| Load cells - number | 1 |
| Levelling feet adjustable | 1 |
| | |

| Functions | |
|--|----------------|
| IP protection - load cell | IP67 |
| Packing & Shipping | |
| Readability force [d] (N) | 1 d |
| Dimensions packaging (W×D×H) | 470×790×230 mm |
| Net weight | 7,2 kg |
| Shipping method | Parcel service |
| Net weight approx. | 8 kg |
| Gross weight approx. | 12 kg |
| Shipping weight | 17,1 kg |
| Services (optional) | |
| Article number for conformity assessment | 965-229 |
| Article number for DAkkS calibration | 963-129 |
| Pictograms | |

Pictogram

STANDARD



FACTORY

