KERN OBN 147



The fluorescence microscope for the professional user



| Category | |
|-------------------|----------------------------|
| Brand | Optics |
| Product categoriy | Microscope |
| Product group | Fluorescence microscope |
| Product family | OBN-14 |

1

Approval

CE mark

Construction

| 530×220×490 mm |
|---|
| Infinity |
| Siedentopf |
| Trinocular |
| 30° |
| \checkmark |
| Infinity Plan |
| 4× 10× 20× 40× 100× |
| 5 |
| both-sided |
| -5 |
| 5 |
| Bright field Darkfield (optional) Fluorescent Polarisation (optional) Phase contrast (optional) |
| 100:0 |
| |

| Interpupillary distance [Max] | 75 mm |
|--|---|
| Interpupillary distance [Min] | 50 mm |
| | |
| Ocular | |
| Ocular field width | WF |
| Ocular magnifications | 10 x |
| Ocular visual field | 20 mm |
| Ocular diameter | 23,2 mm |
| | |
| Focussing | |
| Fine drive minimum | 0,002 mm |
| Torque regulation | ✓ |
| Field of view [Min] | 0,2 mm |
| Field of view [Max] | 5 mm |
| Focusing mechanism | coaxial coarse and fine |
| | drive |
| | |
| Illumination | |
| Illumination type incident light | HBO |
| Illumination intensity incident light | 100 W |
| Illumination intensity transmitted | 20 W |
| light | |
| Illumination type transmitted light | Halogen |
| Illuminance | Reflected light Transmitted light |
| Field diaphragm | |
| Aperture diaphragm | 1 |
| Koehler illumination | · ✓ |
| Filter possible | 1 |
| • | • |
| Brand of light build | FILLIDS |
| Brand of light bulb | Philips |
| Power Supply | Finips |
| - | |
| Power Supply | 100 - 240 V |
| Power Supply Input voltage power supply / | |
| Power Supply Input voltage power supply / power [Max] | 100 - 240 V |
| Power Supply Input voltage power supply / power [Max] Input voltage device / power [Max] | 100 - 240 V 100 - 240 V |
| Power Supply Input voltage power supply / power [Max] Input voltage device / power [Max] Plug-in power supply type | 100 - 240 V 100 - 240 V Built-in power supply |
| Power Supply Input voltage power supply / power [Max] Input voltage device / power [Max] Plug-in power supply type Supplied power supply Plug-in power supply / adapter for countries - included with the | 100 - 240 V 100 - 240 V Built-in power supply |
| Power Supply Input voltage power supply / power [Max] Input voltage device / power [Max] Plug-in power supply type Supplied power supply Plug-in power supply / adapter for | 100 - 240 V 100 - 240 V Built-in power supply Power supply unit EURO |
| Power Supply Input voltage power supply / power [Max] Input voltage device / power [Max] Plug-in power supply type Supplied power supply Plug-in power supply / adapter for countries - included with the delivery | 100 - 240 V 100 - 240 V Built-in power supply Power supply unit EURO AUS |
| Power Supply Input voltage power supply / power [Max] Input voltage device / power [Max] Plug-in power supply type Supplied power supply Plug-in power supply / adapter for countries - included with the delivery Plug-in power supply / adapter for | 100 - 240 V 100 - 240 V Built-in power supply Power supply unit EURO AUS UK |
| Power Supply Input voltage power supply / power [Max] Input voltage device / power [Max] Plug-in power supply type Supplied power supply Plug-in power supply / adapter for countries - included with the delivery | 100 - 240 V 100 - 240 V Built-in power supply Power supply unit EURO AUS |
| Power Supply Input voltage power supply / power [Max] Input voltage device / power [Max] Plug-in power supply type Supplied power supply Plug-in power supply / adapter for countries - included with the delivery Plug-in power supply / adapter for | 100 - 240 V 100 - 240 V Built-in power supply Power supply unit EURO AUS UK US |
| Power Supply Input voltage power supply / power [Max] Input voltage device / power [Max] Plug-in power supply type Supplied power supply Plug-in power supply / adapter for countries - included with the delivery Plug-in power supply / adapter for | 100 - 240 V 100 - 240 V Built-in power supply Power supply unit EURO AUS UK US |
| Power Supply Input voltage power supply / power [Max] Input voltage device / power [Max] Plug-in power supply type Supplied power supply Plug-in power supply / adapter for countries - included with the delivery Plug-in power supply / adapter for countries - optional | 100 - 240 V 100 - 240 V Built-in power supply Power supply unit EURO AUS UK US |
| Power Supply Input voltage power supply / power [Max] Input voltage device / power [Max] Plug-in power supply type Supplied power supply Plug-in power supply / adapter for countries - included with the delivery Plug-in power supply / adapter for countries - optional Environmental conditions | 100 - 240 V 100 - 240 V Built-in power supply Power supply unit EURO AUS UK US CH |

KERN OBN 147

The fluorescence microscope for the professional user



| Packing & Shipping | |
|------------------------------|----------------|
| Readability force [d] (N) | 1 d |
| Dimensions packaging (W×D×H) | 970×440×345 mm |
| Net weight | 15,978 kg |
| Shipping method | Parcel service |
| Net weight approx. | 16 kg |
| Gross weight approx. | 24 kg |
| Shipping weight | 29,4 kg |
| | |

| Objective | |
|----------------------|---|
| Objectives - Details | Objective Infinity Plan 10 x / 0,25 anti-fungus Objective Infinity Plan 100 x / 1,25 oil, spring, anti-fungus Objective Infinity Plan 20 x / 0,4 spring, anti- fungus Objective Infinity Plan 4 x / 0,11 anti-fungus Objective Infinity Plan 40 x / 0,66 spring, anti- fungus |

Pictograms

Obiestive

STANDARD



OPTION

