





# KL-0169-1 B Track Rod Adjustment Tool



**Product information** (EN) A Read and understand before use!











**GEDORE Automotive GmbH** 

**GEDORE TOOLS, INC.** 

Only for USA, Canada & Mexico / Sólo para EE.UU., Canadá y México Seulement pour les USA, le Canada et le Mexique 7187 Bryhawke Circle, Suite 700 North Charleston, SC 29418, USA

**(** +1-843 / 225 50 15 gedore.com

Version 1 - 02/2022

0169-1Be200207.indd

## **Produktinformation**

(Originalfassung der Produktinformation)



## Produktbeschreibung

### KL-0169-1 B - Track rod adjustment tool

Universally suitable for track rods with tube Ø of approx. 11 to 23mm as found in passenger cars.

Designed to facilitate the loosening and adjustment of stiff track rods with tube Ø of approx. 11 to 23mm as found in passenger cars. Thanks to the detachable tube handle, the tool length can be reduced from 420 to 250mm. This allows for convenient working even in confined space conditions in the wheel arch. The broad serrated jaws are designed to prevent damage to the track rod.





## **Scope of delivery / Component overview**

Pos.	Part No.	Description	Qty
	KL-0169-1 B	Track rod adjustment tool	1
1	KL-0169-100	Adjustment Tool	1
-	KL-0169-1002/4 A	Adjusting Head with Segment	1
-	KL-0169-1003	Replacement Jaw for KL-169-1	1
-	KL-0169-1004	Spring	1
-	KL-0169-1005	Cylindric Bolt Ø10 x 24	1
	KL-0014-0016	Rolled Pin Ø 6 x 24mm	1
2	KL-0169-101	Tube Handle	1
2.1	KL-0169-1002/2 A	Tube Handle	1
2.2	KL-0184-0101-1	Protective Handle Ø 25x150mm	1
2.3	KL-0169-1002/2 A	Folding Spring Bolt	1
3	KL-0169-1001	Adaptor	1

#### **Technical Data:**

For track rod tube Ø:ca	a. 11 - 23mm
Overall length:	420mm
Length without tube handle:	250mm



- **▶ Before using** the special tool, read and understand **all** warning and safety instructions and **follow** them for **safe** use!
- ▼Work on electrical installations may only be carried out by appropriately qualified personnel!
- **▼Always** observe and adhere to **all** safety rules and regulations when working on electrical installations!
- ► Use the special tool **as intended**, and **always** carry out maintenance and repair work in compliance with the regulations on occupational safety and accident prevention as well as the vehicle manufacturer's instructions!
- ▶ Before each use, check the special tool carefully for damage, loose parts, or unauthorised modifications. Never use it if you notice any such deficiencies!
- ▼Always wear your personal protective equipment (such as safety goggles, protective gloves, safety shoes) during work!





By inserting the adapter into the adjustment tool, it is also suitable for thinner track rods with a diameter of approx. 11mm.