Plug connector, input plug, Number of pins: 3



Order data

Order number	928490 3
GTIN	4062406117146
Item class	91P

Description

Version:

The input plug is required for the feed to the distribution block No. 928492 size 3/5. It connects to No. 928491 size 3.

Description:

Technical data for industrial plug-in system (No. 928490; 928491; 928492):

- · Maximum connection value 230 V / AC, 16 A or 400 V / AC, 16 A.
- · Maximum connected load, single-phase AC: 3.6 kW.
- · Maximum connected load, three-phase AC: 10.5 kW.
- · Conductor cross-section of the pre-assembled cables:
 - $3 \times 1.5 \text{ mm}^2$ for single-phase AC (L, N, PE)
 - $5 \times 1.5 \text{ mm}^2$ for three-phase AC (L1, L2, L3, N, PE)
- · Protection class 1
- · Index of Protection IP 20.

Function:

IP20: No protection against penetration by foreign bodies with \emptyset < 12 mm, however touching should be avoided, and no protection against water.

Note:

Initial connections and also the connection of plugs or sockets to cables should only be performed by a qualified electrician!

Technical description

Number of pins	3
Nominal voltage	240 V
Power supply	Mains operated
Plug type, input	GST plug-in system
IP Index of Protection	IP 20
Type of product	Plug connector