Garant GRIDLING

CNC cabinet complete with tool sockets, with plain sheet metal swing doors, for tool shanks: HSK80



Order data

Order number	971341 HSK80
GTIN	4062406164539
Item class	9GI

Description

Version:

Equipped cabinet in 40×20G. With mounting rails adjustable in 25 mm intervals. Swing doors reinforced on the inside and can be locked by 2-component Haptoprene® push handle using a cylinder lock. **Levelling base** with 4 individually adjustable feet to compensate for unevenness in the floor. Maximum **load capacity** per **mounting rail pair 200 kg**, per **tool block insert rail 150 kg**.

Supplied with:

Cabinet including mounting rails No. 971525 size 20 and shelves with tool sockets No. 971570.

Colour:

Body, mounting rails and shelves RAL 7035 light grey, doors RAL 7016 anthracite, **powder-coated.**

Note:

For storage shelves and accessories for GridLine cabinets see No. 940501 – 940710 and Group 95. According to the TÜV GS certification, it is essential that all cabinets are secured against tipping over.

Technical description



Axial spacing A 104 mm Height 2000 mm Weight 126 kg Number of tool sockets 48 Depth 500 mm Depth in G 20 Width in G 40 Number of tool block insert rails 6 Mounting rails 2 pair Material thickness 0.9 mm Cabinet housing internal load capacity 1000 kg Door opening angle 250 degrees Height adjustment interval 25 mm Cylinder lock modular barrel Colour selection RAL 9002, 7035, 7005, 7016, 6011, 5018, 5012, 5011, 5005, 3003 Type of cabinet fronts Plain sheet metal swing door Type of product CNC cabinet	Width	1000 mm
Weight126 kgNumber of tool sockets48Depth500 mmDepth in G20Width in G40Number of tool block insert rails6Mounting rails2 pairMaterial thickness0.9 mmCabinet housing internal load capacity1000 kgDoor opening angle250 degreesHeight adjustment interval25 mmCylinder lockmodular barrelColour selectionRAL 9002, 7035, 7005, 7016, 6011, 5018, 5012, 5011, 5005, 3003Type of cabinetBase cabinetCabinet frontsPlain sheet metal swing door	Axial spacing A	104 mm
Number of tool sockets Depth Depth Depth in G Width in G Number of tool block insert rails Mounting rails At a binet indicates Depth Depth in G Width in G Number of tool block insert rails Mounting rails Depth At a binet interval Door opening angle At a binet interval Depth Door opening angle At a binet interval Door opening angle At a binet interval Door opening angle At a binet interval Door opening angle Door openi	Height	2000 mm
Depth in G Depth in G Width in G Number of tool block insert rails Mounting rails Agency Material thickness Depth Cabinet housing internal load capacity Door opening angle Height adjustment interval Cylinder lock Colour selection Type of cabinet Cabinet fronts Colour sheet metal swing door	Weight	126 kg
Depth in G Width in G Width in G Number of tool block insert rails Mounting rails Z pair Material thickness 0.9 mm Cabinet housing internal load capacity Door opening angle Height adjustment interval Z5 mm Cylinder lock Material thickness RAL 9002, 7035, 7005, 7016, 6011, 5018, 5012, 5011, 5005, 3003 Type of cabinet Cabinet fronts Plain sheet metal swing door	Number of tool sockets	48
Width in G40Number of tool block insert rails6Mounting rails2 pairMaterial thickness0.9 mmCabinet housing internal load capacity1000 kgDoor opening angle250 degreesHeight adjustment interval25 mmCylinder lockmodular barrelColour selectionRAL 9002, 7035, 7005, 7016, 6011, 5018, 5012, 5011, 5005, 3003Type of cabinetBase cabinetCabinet frontsPlain sheet metal swing door	Depth	500 mm
Number of tool block insert rails Mounting rails 2 pair Material thickness 0.9 mm Cabinet housing internal load capacity 1000 kg Door opening angle 250 degrees Height adjustment interval 25 mm Cylinder lock modular barrel Colour selection RAL 9002, 7035, 7005, 7016, 6011, 5018, 5012, 5011, 5005, 3003 Type of cabinet Cabinet fronts Plain sheet metal swing door	Depth in G	20
Mounting rails Alterial thickness Cabinet housing internal load capacity Door opening angle Height adjustment interval Cylinder lock Colour selection Type of cabinet Cabinet fronts Alterial thickness 0.9 mm 1000 kg 250 degrees 25 mm Modular barrel RAL 9002, 7035, 7005, 7016, 6011, 5018, 5012, 5011, 5005, 3003 Base cabinet Plain sheet metal swing door	Width in G	40
Material thickness 0.9 mm Cabinet housing internal load capacity 1000 kg Door opening angle 250 degrees Height adjustment interval 25 mm Cylinder lock modular barrel Colour selection RAL 9002, 7035, 7005, 7016, 6011, 5018, 5012, 5011, 5005, 3003 Type of cabinet Base cabinet Cabinet fronts Plain sheet metal swing door	Number of tool block insert rails	6
Cabinet housing internal load capacity Door opening angle Height adjustment interval Cylinder lock Colour selection Type of cabinet Cabinet fronts 1000 kg 250 degrees 25 mm modular barrel RAL 9002, 7035, 7005, 7016, 6011, 5018, 5012, 5011, 5005, 3003 Base cabinet Plain sheet metal swing door	Mounting rails	2 pair
Door opening angle Height adjustment interval Cylinder lock Colour selection RAL 9002, 7035, 7005, 7016, 6011, 5018, 5012, 5011, 5005, 3003 Type of cabinet Cabinet fronts Plain sheet metal swing door	Material thickness	0.9 mm
Height adjustment interval Cylinder lock Colour selection Colour selection RAL 9002, 7035, 7005, 7016, 6011, 5018, 5012, 5011, 5005, 3003 Type of cabinet Cabinet fronts Plain sheet metal swing door	Cabinet housing internal load capacity	1000 kg
Cylinder lock modular barrel Colour selection RAL 9002, 7035, 7005, 7016, 6011, 5018, 5012, 5011, 5005, 3003 Type of cabinet Base cabinet Cabinet fronts Plain sheet metal swing door	Door opening angle	250 degrees
Colour selection RAL 9002, 7035, 7005, 7016, 6011, 5018, 5012, 5011, 5005, 3003 Type of cabinet Base cabinet Cabinet fronts Plain sheet metal swing door	Height adjustment interval	25 mm
Type of cabinet Cabinet fronts 5018, 5012, 5011, 5005, 3003 Base cabinet Plain sheet metal swing door	Cylinder lock	modular barrel
Cabinet fronts Plain sheet metal swing door	Colour selection	
	Type of cabinet	Base cabinet
Type of product CNC cabinet	Cabinet fronts	Plain sheet metal swing door
	Type of product	CNC cabinet

Accessories

Mounting rails for shelves with tool sockets, pair suitable for cabinet depth in G 20	971525 20
Slide handle for GridLine Type GP11	914226 GP11
Basic lighting set for GridLine cabinets withswing doors for cabinet height 2000 mm	940501 2000
Plastic insert Type HSK80	947390 HSK80
	971570 HSK80



Shelf with tool socketsfor cabinet / compartment width 40 G for tool shanks HSK80