Garant

Torque screwdriver, fixed setting, set torque: 0,38N·m



Order data

Order number	211750 0,38
GTIN	4045197764256
Item class	21B

Description

Version:

Torque screwdriver with easy-grip 2-component T-handle. The torque is fixed. Toolholder with permanent magnet.

Function:

When the torque is reached the screwdriver triggers **with clearly audible and perceptible signal**. The long-travel indication gives the user an unmistakable signal that the set torque has been reached.

Application:

In conjunction with **1/4 inch bits** with **C 6.3** or **E 6.3 shank,** e.g. **Torx Plus**[®] **bit** No. **674252.** Ideal for precise tightening of indexable inserts to the specified torque.

Standard:

Geprüft nach DIN EN ISO 6789.

Note:

Supplied **without** bit.

The guaranteed measuring accuracy of the torque is achieved only once the torque range has been calibrated to DIN EN ISO 6789.

Technical description

-				
	ata		20	\mathbf{O}^{\dagger}
		- 51	IE	eι

Blade length	50 mm	
Torque measuring accuracy	±15 %	
set torque	0.38 Nm	
Bit socket	D 6,3	
Bit socket	F 6.3	
Standard	DIN EN ISO 6789	
Adjustable trigger value	non-adjustable	
Overall length L	107 mm	
Measurement process	Torque	
Reversible reading	Nm	
Trigger principle	Mechanical long travel release	
Connection format	Bit holder 1/4 inch	
Feedback	triggering	
Setting the trigger value	preset	
Direction of tightening	Right-hand tightening	
Data can be recorded	no	
Release signalling	akustisk	
Release signalling	haptisk	
Measurement technology	mechanical	
Type of product	Torque screwdriver	

Accessories

"TQ-Station" - storage station for torque screwdrivers

659964

roup 🖈