HOLEX

Fleece abrasive finishing disc, 50.8 mm Ø, Grit equivalent: 280



Order data

| Order number | GG5405 280 |
|--------------|---------------|
| GTIN | 4062406201975 |
| Item class | GGN |

Description

Version:

The Roloc[™], Combidisc[®] CDR **quick-change system** with a plastic thread permits safe abrasive tool changing "with a single twist of the wrist" in a very short time.

High performance general-purpose nylon fleece.

Corresponds to 554052.

Application:

For cleaning, degreasing, and matt finishing of metal surfaces.

For efficient abrasion of small areas, even with changing contours. Reduced tool changing times save costs on multi-stage operations.

Note:

Roloc™ bristle discs can be found from No. 573510 onwards.

Technical description

| Version | A very fine |
|------------------|-------------|
| Grit equivalent | 280 |
| Grit designation | fine |

| Disc Ø | 50.8 mm |
|---|-------------------------|
| Contents | 150 |
| Grinding media | Nylon fleece |
| Grinding medium code | А |
| Iron, sulphur and chlorine constituents | < 0.1 % |
| Product name attribute | 50.8 mm Ø |
| maximum speed | 23000 min ⁻¹ |
| Type of product | Non-woven abrasive |

User data

| | Suitability | V _c | ISO code |
|--------------------------------|---|----------------|----------|
| Alu Mg | suitable | | |
| Steel < 900 N/mm ² | suitable | | |
| Steel < 1400 N/mm ² | suitable | | |
| Steel < 55 HRC | suitable | | |
| Steel < 60 HRC | suitable | | |
| Steel < 67 HRC | suitable | | |
| INOX | suitable | | |
| Ti | suitable | | |
| GG(G) | suitable | | |
| CuZn | suitable | | |
| Plastic, GRP | suitable | | |
| Wood | suitable | | |
| Stone | suitable only under restricted conditions | | |
| Paint | suitable | | |
| Uni | suitable | | |
| wet maximum | suitable only under restricted conditions | | |

© Hoffmann GmbH Qualitätswerkzeuge 15.04.2024 21:27

| dry | suitable | | | | |
|---|-------------------------------|------------|--|--|--|
| Accessories | | | | | |
| Rubber backing pad sha Ø 50 mm | nk Ø 6 mmmedium hard External | 554093 50 | | | |
| Rubber backing pad shank Ø 6 mmmedium External Ø 50 mm | | 554092 50 | | | |
| Plastic backing pad shank Ø 6 mm External Ø 50 mm | | 554090 50 | | | |
| Rubber backing pad shank Ø 6 mmsoft External Ø 50 mm | | 554091 50 | | | |
| Rubber backing pad shank Ø 6 mmhard External Ø 50 mm | | 554089 50 | | | |
| Fleece abrasive finishing disc Grit equivalent 280 | | 554052 280 | | | |