



Torque wrench without scale, Maximum torque: 50N·m



Order data

Order number	657320 50
GTIN	4560138452820
Item class	66F

Description

Version:

Single-handed torque wrenches without a setting scale. Wrench setting using torque analyser. With synthetic resin handle.

Fixed reversible ratchet.

Function:

If the set value is reached while using the wrench, the wrench triggers giving a "signal" (audible and perceptible) and is then immediately ready for use again.

Application:

For controlled screw tightening etc. to specified torques in series production.

Standard:

Geprüft nach DIN EN ISO 6789.

Cutting dataa:

Legend for drawing and formula:

l_1 = Lever length without plug-in head

l_2 = Adjusted reference dimension on the torque wrench

l_3 = Lever length including factory calibration reference dimension

l_4 = Reference dimension of the plug-in head

L = Total length of the tool

T_1 = Torque to be set

T_2 = Specified torque

Note:

Suitable setting tools No. 657325.

The guaranteed measuring accuracy of the torque is achieved only once the torque range has been calibrated to DIN EN ISO 6789.

Technical description

Square drive	3/8 in
maximum torque	50 Nm
Torque measuring accuracy	±3 %
Direction of tightening	Right-hand tightening
Weight	400 g
Torque range	10 - 50 Nm
Measurement process	Torque
Adjustable trigger value	adjustable
Overall length L	240 mm
Trigger principle	mechanical short-travel release
Connection format	Push-through square drive (ratchet)
Standard	DIN EN ISO 6789
Feedback	triggering
Setting the trigger value	without setting scale (requires torque analyser)
Lever length including factory calibration reference dimension [l ₃]	178 mm
Reversible reading	Nm
Calibration	O6
Calibration	O7
Data can be recorded	no
Release signalling	akustisk
Release signalling	haptisk
Measurement technology	mechanical
Series	QSP
Deflection function	no
Slipper function	no
Memory pointer	no
Type of product	Torque Wrench

Services

DAkkS calibrationTorque wrench maximum torque 1000 N·m	020020 1000
Calibration and adjustmentTorque wrench without scale maximum torque 400 N·m	020090 400
AdjustmentTorque wrench without scale Type SET	020080 SET
DAkkS calibration and adjustmentTorque wrench without scale maximum torque 1000 N·m	020190 1000

Accessories

Electronic torque analyser“ProTest” maximum torque 60 N·m	654460 60
Adjusting tool Type 2	657325 2