

## Burr Z steel – coarse, Carbide, Type: A1020



### **Order data**

| Order number | 540740 A1020  |  |  |
|--------------|---------------|--|--|
| GTIN         | 4045197804723 |  |  |
| Item class   | 52D           |  |  |

### **Description**

#### **Version:**

The innovative tooth geometry permits very high metal removal rates combined with smooth cutting and good guidance accuracy. The optimised chip formation (no pointed chips) ensures good surface quality. Shank Ø 6 mm.

#### **Application:**

Optimised for use on steel and steel castings.

### **Technical description**

| Overall length            | 64 mm       |  |  |
|---------------------------|-------------|--|--|
| Shape                     | A1020       |  |  |
| Tooth type abbreviation   | Z steel     |  |  |
| Head Ø                    | 9.6 mm      |  |  |
| Shape description         | cylindrical |  |  |
| Toothing grit designation | coarse      |  |  |

| Shank ∅         | 6 mm                        |  |  |
|-----------------|-----------------------------|--|--|
| Head length     | 19 mm                       |  |  |
| Series          | Tooth configuration Z steel |  |  |
| Tool material   | Carbide                     |  |  |
| Type of product | Burr                        |  |  |

# **User data**

|                                | Suitability | <b>V</b> <sub>c</sub> | ISO code |
|--------------------------------|-------------|-----------------------|----------|
| Steel < 900 N/mm <sup>2</sup>  | suitable    |                       |          |
| Steel < 1400 N/mm <sup>2</sup> | suitable    |                       |          |
| Steel < 55 HRC                 | suitable    |                       |          |
| Steel < 60 HRC                 | suitable    |                       |          |
| Steel < 67 HRC                 | suitable    |                       |          |
| GG(G)                          | suitable    |                       |          |