Garant

GARANT Master Titan solid carbide mini milling cutter HPC, TiAlN, Ø e8 DC: 4mm



Order data

Order number	202287 4		
GTIN	4062406270957		
Item class	11Z		

Description

Version:

Extra short cutter for maximum stability. **Shank length to DIN** for improved support of the tool in the holder. This significantly increases the tool life.

Save the regrinding costs: It is cheaper to use a carbide mini slot drill to the limit of wear and throw it away, than to regrind it.

Attractively priced and extra stable version for high-power machining of titanium.

Technical description

Tolerance nominal \varnothing	e8		
Cutting edge Ø D _c	4 mm		
No. of teeth Z	3		
Helix angle	40 degrees		
Flute length L _c	7 mm		
Overall length L	50 mm		
Direction of infeed	horizontal, oblique and vertical		
Shank Ø D _s	6 mm		
Feed f_z for side milling in titanium > 850 N/mm ²	0.02 mm		
Shank	DIN 6535 HA to h6		
Corner rounding r _v	0.03 mm		

© Hoffmann GmbH Qualitätswerkzeuge

Series	Master Titan		
Coating	TiAIN		
Tool material	Solid carbide		
Standard	Manufacturer's standard		
Туре	Ν		
Cutting width a_e for milling operation	Full slot cutting depth 1×D		
Cutting width a_e for milling operation	Full slot cutting depth 1×D		
Through-coolant	no		
Machining strategy	HPC		
Colour ring	pink		
Type of product	End / face mill		

User data

	Suitability	V _c	ISO code
Ti > 850 N/mm²	suitable	60 m/min	S
wet maximum	suitable		