


Carbide driving plate for driver head, Type: 3



Order data

Order number	327670 3
GTIN	4067263583677
Item class	31G

Description

Version:

Face drivers are clamping tools used in mechanical production. They are used for transmitting torque from the machine spindle to the workpiece. The face driver (also called headstock centre) is used to clamp shafts between tips in machine tools. The complete outer contour of the workpiece can be machined using a single set-up. High concentricity requirements can be achieved by mounting on the workpiece centres.

The CoAE is a constant face driver which is manually clamped in a lathe. It is used predominantly for machining over the entire length. The components are clamped at the end face. Milling can also be performed in the same set-up. It impresses thanks to a constant clamping force, even on uneven end faces or in the case of large deviations from the orthogonality. The mounting is free of play radially. The modular design allows different tips to be used, as well as various driver heads with a single face driver, thus allowing machining of a wide variety of geometries. The CoAE replaces the Röhm face driver CoA. Suitable for manually clamping machine tools.

Suitable for:

Driver heads No. 327480 and 327482.

Supplied with:

3 pieces carbide driving plates.

Note:



Compatible with Röhm driver heads No. 327651 21-40, 26-50 and 33-64.

Technical description

Side length	6 mm
Thickness	3.2 mm
Number of inserts	3
Type of product	Face driver