

# Abrasive flap disc long life CER, conical, Ø 115 mm, Grit: 40



### **Order data**

Order number	GG5224 40		
GTIN	4067263136538		
Item class	GGN		

## Description

#### Version:

- · High-quality self-sharpening ceramic grit (CER) for maximum abrasive power and low contact pressure.
- · Active coating for cool cutting.
- Sturdy poly-cotton mixed fabric for ideal wear characteristics and stability, even when used on edges.
- · Ergonomic and vibration-damping polyester plastic backing pad (can be reset).
- · Best results on high-power angle grinders.

**long life** - very closely spaced flap strips, for **maximum tool life.** 

Corresponds to 565224.

#### **Application:**

General purpose abrasive disc operations, surface abrasion, material removal and edge smoothing.

## **Technical description**

Grit	40	
Shape description	dished	

Contents	100		
Bore Ø	22.23 mm		
Disc Ø	115 mm		
Grinding media	Ceramic grit (CER)		
Grinding medium code	Ceramic		
abrasive, cooling coating	yes		
Iron, sulphur and chlorine constituents	< 0,1 %		
Product name attribute	Ø 115 mm		
optimised for material	INOX		
maximum circumferential speed	80 m/s		
Type of product	Abrasive flap disc		

## **User data**

	Suitability	$\mathbf{V}_{c}$	ISO code
Alu Mg	suitable only under restricted conditions		
Steel < 900 N/mm <sup>2</sup>	suitable		
Steel < 1400 N/mm <sup>2</sup>	suitable		
Steel < 55 HRC	suitable		
Steel < 60 HRC	suitable		
Steel < 67 HRC	suitable		
INOX	suitable		
Ti	suitable		
GG(G)	suitable		
CuZn	suitable only under restricted conditions		
Uni	suitable		
dry	suitable		

## **Accessories**

Abrasive flap disclong life CER, conical Grit 40

565224 40