## HOLEX

Flap wheel (A), 40 grit, Head Ø×head width: 50X30mm



## Order data

| Order number | 554095 50X30  |  |  |
|--------------|---------------|--|--|
| GTIN         | 4045197525772 |  |  |
| Item class   | 52E           |  |  |

### Description

#### Version:

Flap strips bonded on to the shank of the tool.

Abrasive strips covered with **regular Aluminium Oxide (A)**.

### **Application:**

Primarily for finish grinding and polishing tasks on larger radii in tool and mould making, for vessel and machine fabrication. The abrasive strips adapt to the contours of the component.

### **Technical description**

| Head width        | 30 mm                   |  |  |
|-------------------|-------------------------|--|--|
| Grit              | 40                      |  |  |
| maximum speed     | 15300 min <sup>-1</sup> |  |  |
| recommended speed | 9000 min <sup>-1</sup>  |  |  |
| Shank Ø           | 6 mm                    |  |  |
| Head Ø            | 50 mm                   |  |  |

| Grinding media         | Aluminium Oxide grit (A) |  |  |
|------------------------|--------------------------|--|--|
| Grinding medium code   | А                        |  |  |
| Product name attribute | 40 grit                  |  |  |
| Type of product        | Flap wheel               |  |  |

# User data

|                               | Suitability                               | V <sub>c</sub> | ISO code |
|-------------------------------|---|----------------|----------|
| Alu Mg                        | suitable                                  |                |          |
| Steel < 900 N/mm <sup>2</sup> | suitable                                  |                |          |
| Steel < 1400 N/mm²            | suitable only under restricted conditions |                |          |
| Steel < 55 HRC                | suitable                                  |                |          |
| Steel < 60 HRC                | suitable only under restricted conditions |                |          |
| GG(G)                         | suitable only under restricted conditions |                |          |
| CuZn                          | suitable                                  |                |          |
| Plastic, GRP                  | suitable                                  |                |          |
| Wood                          | suitable                                  |                |          |
| dry                           | suitable                                  |                |          |