

# Felt polishing point Shank Ø 3 mm, Type: ZY0610



### **Order data**

Order number	552100 ZY0610
GTIN	4045197240019
Item class	51E

### **Description**

#### **Version:**

Long-lived felt polishing point with medium-hard felt which keeps its shape especially well.

### **Application:**

For rough polishing and high-gloss finish polishing of ground surfaces where there is a strict requirement for maintaining the exact geometrical shapes.

#### **Note:**

Felt polishing points must be used in conjunction **with grinding and polishing pastes** such as No. 552250 / 552330 / 552340 / 555740. Recommended circumferential speed 5 -10 m/s.

## **Technical description**

Head ∅	6 mm
Shank Ø	3 mm
Head length	10 mm
Degree of hardness	medium
recommended circumferential speed	5 - 10 m/s



552330 3 552330 1
552330 1
332330 1
555740 DARKPINK
555740 BLUE
552340 15
552340 1
552250 280
552330 10
552330 0,5
552340 7
552250 150
552340 10
552330 15

Polishing paste barUnipol® Colour WHITE	555740 WHITE
Diamond grinding compound 5 g, alcohol and watersolublemono-crystalline Grit diamond grinding compound 7 $\mu m$	552330 7
Diamond grinding compound 10 g, alcohol and water-soluble mono-crystalline Diamond grinding compound grit 3 $\mu m$	552340 3
Diamond grinding compound 5 g, alcohol and water- solublemono-crystalline Grit diamond grinding compound 30 µm	552330 30