

# Inductive length measuring probe, axial Pack of 10 pcs., Type: GT61



### **Order data**

| Order number | 434784 GT61   |
|--------------|---------------|
| GTIN         | 7630041113570 |
| Item class   | 45A           |

### **Description**

#### **Version:**

Probes with large measuring range.

Versatile precision length measuring probes.

- · Precision ball-bearing longitudinal measuring pin.
- · High precision due to electronic measurement signal amplification.
- · Clamping shank Ø 8 mm, can be clamped on the entire length.
- Due to ball bearings, resistant to fluctuations in temperature and lateral forces.
- · Outstanding electro magnetic screening.

The TESA length measurement probe is characterised by excellent repeatability, consistency and a long working life.

### **Advantage:**

The Viton protective bellows renders the probe particularly suitable for applications involving coolants and lubricants. Particularly suitable for multi-location measurement devices.

#### **Function:**

IP65: Protected against jets of water from all directions and protected against penetration by dust (dust-tight), also completely protected against touching.

#### **Application:**

Universally applicable for all high precision measurement tasks, particularly in workshop and manufacturing shop areas.

#### **Supplied with:**

Pack of  $10 \times$  contact points No. 434783.

### **Optional extras:**

Measuring tips, measuring force springs.

## **Technical description**

| Contact point travel                           | 10.3 mm      |
|--|--------------|
| Linearity error limit (L = meas. length in mm) | 1 + 4 × L μm |

| Protective bellows                 | Viton            |
|------------------------------------|------------------|
| Measuring range                    | ±5 mm            |
| Measuring force at electrical zero | 0.9 N            |
| Repeatability                      | 0.05 μm          |
| Measurement pin lifting            | mechanical       |
| Compatibility                      | TESA             |
| IP Index of Protection             | IP 65            |
| Calibration                        | Price on request |
| Type of product                    | Probes           |