

# Open jaw plug-in head, Type-Width across flats: 2-17mm



## **Order data**

| Order number | 657800 2-17   |
|--------------|---------------|
| GTIN         | 4018754033966 |
| Item class   | 63A           |

# **Description**

#### **Version:**

Drop-forged; all plug-in heads = Rectangular shank with spring retaining pin. This ensures a solid and secure fit of the plug-in head in the torque wrench.

#### **Material:**

Chrome alloy steel, non-flaking, chrome-plated over nickel.

## **Cutting dataa:**

## Legend for drawing and formula:

- $I_1$  = Lever length without plug-in head
- $I_2$  = Adjusted reference dimension on the torque wrench
- $I_3$  = Lever length including factory calibration reference dimension
- $I_4$  = Reference dimension of the plug-in head
- L = Total length of the tool
- $T_1 = Torque to be set$
- $T_2$  = Specified torque

## **Suitable for:**

Torque wrench with rectangular sockets.

#### Note:

Please note the pitch of the plug-in head and match this to that of the adjustment tool (see test certificate/operating instructions of the torque wrench you are using). If these vary, correct the pitch!



# **Technical description**

| Height h           | 9 mm                        |
|--------------------|-----------------------------|
| Width across flats | 17 mm                       |
| Plug-in shank      | 14×18 mm                    |
| Width b            | 38 mm                       |
| Pitch S            | 25 mm                       |
| Exchangeable tool  | Plug-in head                |
| Material           | Chrome alloy steel          |
| Surface            | chrome plated (non-flaking) |
| Type of product    | Open ended plug-in head     |