HOLEX

Roll of abrasive fleece, 100 mm × 10 m, Fleece structure: 1000



Order data

Order number	GG5110 1000
GTIN	4045197575029
Item class	GGN

Description

Version:

Synthetic nylon fleece impregnated with abrasive grit in synthetic resin bonding. Contains no materials that could cause corrosion, for wet and dry use (same as 556015; 556110; 556115).

same as 556110.

Advantage:

- · Adapts to the component shape.
- The open structure prevents clogging and reduces heat development.
- Even and reproducible finish.
- · Can be used wet or dry.
- $\cdot\,$ Contains no materials that could cause corrosion.

Application:

Can be used by hand, on hand block No. 556020 or on an orbital sander. **Very fine:** Abrasive grit: silicon carbide, for cleaning delicate surfaces.

Content:

4 rollers / bulk pack.

Note:

Only sold in bulk pack quantities, not supplied individually. Ordering information: 1 set = 1 bulk pack.

Technical description

Version	S Ultra Fine	
Fleece structure	1000	
Colour	grey	
Grit equivalent	600 - 1000	
Grit designation	very fine	
Contents	4	
Iron, sulphur and chlorine constituents	< 0.1 %	
Roller width	100 mm	
Roll length	10 m	
Product name attribute	100 mm × 10 m	
Type of product	Roll of abrasive fleece	

User data

	Suitability	V _c	ISO code
Alu Mg	suitable		
Steel < 900 N/mm ²	suitable		
Steel < 1400 N/mm ²	suitable		
Steel < 55 HRC	suitable		
Steel < 60 HRC	suitable		
Steel < 67 HRC	suitable		
INOX	suitable		
Ti	suitable		
GG(G)	suitable		
CuZn	suitable		
Plastic, GRP	suitable		
Wood	suitable		

Stone	suitable only under restricted conditions	
Paint	suitable	
Uni	suitable	
wet maximum	suitable only under restricted conditions	
dry	suitable	

Accessories

Roll of abrasive fleece Fleece structure 1000

556110 1000