Ansell

Pair of chemical protective gloves AlphaTec® Solvex® 37-675, Glove size: 10

Order data

Order number	094740 10
GTIN	10076490447301
Item class	04P

Description

Version:
Category III safety gloves.
AlphaTec® Solvex® 37-675. Re-usable nitrile gloves for safe handling of aggressive chemicals. The roughened finish increases the security of grip. The Sol-Vex® hammered finish gives the glove a smooth surface that decreases indirect costs thanks to fewer rejects of fragile parts. Backing material velourised.
Standard:
Schutz gegen Bakterien, Pilze und Viren gemäß EN 374
Note:
The minimum order quantity corresponds to one pack unit quantity (VPE) or a multiple thereof.

Technical description

Glove size	10
Permeation time for acetonitrile 99 %	<10 min
Permeation time for acetone 99 %	<10 min
Permeation time for methanol 99 %	10-30 min

Permeation time for isopropanol 99 %	>480 min
Permeation time for sulphuric acid 96 %	30-40 min
Wall thickness	0.38 mm
Permeation time for cyclohexane 99 %	>480 min
Permeation time for sodium hydroxide 40 %	>480 min
Series	AlphaTec®
Protection category	Category III
Type of glove	Chemicals protection gloves
Contents	1
Glove characteristics	Foodstuffs certified
Glove characteristics	Suitable for allergy sufferers
Glove characteristics	free of latex
Protection class	Protection against bacteriological risks according to EN 374
EN 374	Type A (JKLOPT)
Resistance to chemicals	JKLOPT
EN 388	4101X
Material	Nitrile
Backing material	Nitrile
AQL	0.65
Application range	All-round
Length	330 mm
Thickness	0.38 mm
Colour	green
Application	reusable
Weight	35.5 g
Cut protection class	X
Coating	Nitril
Type of product	Chemicals protection gloves