

**Safety helmet G3000, Colour: BLUE****Order data**

Order number	097815 BLUE
GTIN	4046719316687
Item class	04M

**Description****Version:**

Safety helmet of UV-stabilised ABS. The **integral UV sensor** indicates when the helmet has become brittle due to high exposure to UV and should be replaced. The internal arrangement can be turned through 180 degrees and allows wearing of a screen at the neck (an advantage when working in restricted spaces). **Good ventilation** of the upper shell of the helmet. **Resistant to low temperatures down to -30 °C** and protection against splashes of liquid metal (MM).

- **4-point strap attachment, height adjustable**
- **30 mm Euro slot mounting**
- **Plastic sweatband**
- **Straight form**
- **With rotary catch**

**Application:**

Industry, building trade, forestry.

**Standard:**

DIN EN 397

**Specification:**

Resistant to low temperatures down to -30° C and protection against splashes of liquid metal (MM)

**Suitable for:**

Ear defenders No. 097753; 097756

**Spare part:**

No. 097825 standard sweat band. No. 097826 leather sweat band.

## Technical description

Weight	310 g
Resistance to cold	up to -30 °C
Colour	blue
Resistance to weld spatter (MM)	yes
free of internal and external condensation	yes
Can be turned 180°	yes
Width adjustment	Drejelukning
UV-sensor for exchange notification	yes
Size	53 - 62 cm
Helmet characteristics	Safety characteristics down to -30 °C
Helmet characteristics	Protection against liquid metal spraying out
Material of helmet shell	ABS
Standard	DIN EN 397
Type of product	Safety helmet

## Accessories

Helmet adapterP3EV	097827
Safety glasses with helmet attachmentV9C	097829
Ear defendersPeltor™ Optime™ helmet series Type 1	097753 1
Standard sweatbandHYG3	097825
Attachment for clear visorPeltor™ G500 Manufacturer's designation G500-GU	097872 G500-GU
Ear defendersPeltor™ Optime™ helmet series Type 2	097753 2
Ear defenders Type HELMET	097795 HELMET
Leather sweatbandHYG4	097826

Chinstrap GH4 Suspension 3P	097833 3P
Ear defendersPeltor™ Optime™ helmet series Type 3	097753 3